Level F Cut Glove with Foam Nitrile



Article No.	BN7GX
Coating Material	Nitrile
Coating Color	Black
Liner	UHMWPE
Liner Color	Black
Finishing	Micro-foam
Cuff Style	Knit wrist
Gauge	15
Size	5,6,7,8,9,10,11,12
Reinforcement	Nitrile

PERFORMANCE

- 15 gauge exclusive lining technology contributing it the thinnest and finest cut F nitrile glove
- Over 30% lighter than a standard cut F nitrile glove
- 10-finger touchscreen compatibility enables you to use all touch screen devices on the job
- Perfect dexterity, flexibility, super comfort and very good fitting
- Reinforcement (between thumb and index fingers) greatly extends glove life to save your cost and provides extra protection in the most weak area
- Super grip in both dry and oily working conditions
- 360° breathability to keep your hands cool at work
- Anti-bacterial processed and OEKO-TEX standard 100 certified

APPLICATION

- Automotive industry
- Glass industry
- Paper industry
- Blades manufacturing
- Machinery and equipment maintenance

www.fortessafety.com

info@fortessafety.com

Tel. +86 2157832572

Fax. +86 2157832892

Version 2021



CERTIFICATION

ABRASION CUTTING

012345







4X43F

TEARING 01234

01234

PUNCTURE 01234

CUT

ANSI

ISO 13997

ABCDEF

EN407

FLAMMABILITY

CONTACT HEAT

01234

01234

CONVECTIVE HEAT

RADIANT HEAT

01234

01234

X1XXXX

LARGE SPLASHES OF MOLTEN METAL

01234 01234

SMALL SPLASHES OF MOLTEN METAL

For more information, please visit $\underline{\text{here}}$

DIMENSIONS (+/- 0.50 cm)

Sizes Available	(5)	(6)	(7)	(8)	(9	(10)	(11)	(12)
Sizes Available	2X Small	X Small	Small	Medium	Large	X Large	2X Large	3X Large
Palm Width	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50
Length	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00

PACKING

Poly bag	12 pairs with 1 consumer information sheet
Carton	120 pairs

GLOVE CARE

Laundering	Wash at 40°C max and machine washing available.
Storage	Store the gloves in their original packaging protected from heat, light and humidity.

RECOMMENDATION FOR USE

It is cut resistant glove not cut proof, do not use them next to moving machinery.

www.fortessafety.com

info@fortessafety.com

Tel. +86 2157832572 Fax. +86 2157832892

Version 2021

FORTES