

Ultra-fine 18gg Cut Glove with Micro-foam Nitrile

YN8GX



Article No.	YN8GX
Coating Material	Nitrile
Coating Color	Hi-Vis Yellow
Liner	UHMWPE
Liner Color	Hi-Vis Yellow
Finishing	Micro-foam
Cuff Style	Knit wrist
Gauge	18
Size	5,6,7,8,9,10,11,12
Reinforcement	Nitrile

PERFORMANCE

- 18 gauge exclusive lining technology contributing it the thinnest and finest glove
- ISO 13997 TDM cut B certified
- Over 33% lighter than a standard 13 gauge glove
- Reinforced crotch in the most weak area greatly extends glove life
- Perfect dexterity, flexibility, comfort & fitting
- Super grip in both dry and oily working conditions
- Hi-vis yellow colour provides extra protection in challenging light environment
- 360°breathability to keep your hands cool and work

APPLICATION

- Automotive
- Electronics
- Precise handling
- Paper industry

www.fortessafety.com

info@fortessafety.com







Tel. +86 2157832572

Fax. +86 2157832892

Version 2021

FORTES

CERTIFICATION

EN388  4X42B	ABRASION 0 1 2 3 4	CUTTING 0 1 2 3 4 5	ANSI  A2 CUT			
	TEARING 0 1 2 3 4	PUNCTURE 0 1 2 3 4				
	ISO 13997 A B C D E F					
EN407  X1XXXX	FLAMMABILITY 0 1 2 3 4	CONVECTIVE HEAT 0 1 2 3 4	CONTACT HEAT 0 1 2 3 4	RADIANT HEAT 0 1 2 3 4	LARGE SPLASHES OF MOLTEN METAL 0 1 2 3 4	
	SMALL SPLASHES OF MOLTEN METAL 0 1 2 3 4					

For more information, please visit [here](#)

DIMENSIONS (+/- 0.50 cm)

Sizes	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
Available	Small	X Small	Small	Medium	Large	X Large	2X Large	3X Large
Palm Width	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50
Length	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00

PACKING

Poly bag	12 pairs with 1 consumer information sheet
Carton	120 pairs per carton

GLOVE CARE

Laundering	Wash at 40°C max and machine washing available.
Storage	Store the gloves in their original packaging protected from heat, light and humidity.

RECOMMENDATION FOR USE

- It is cut resistant glove not cut proof, do not use them next to moving machinery.
- Do not use in cases of chemical, electrical or thermal risk.

www.fortessafety.com

info@fortessafety.com

Tel. +86 2157832572

Fax. +86 2157832892

Version 2021

FORTES